

FOLEY RENTS LINECARD

PISCATAWAY 888.417.6464 | BENSALEM 215.244.3850



FOLEY RENTS

RENTAL PRODUCTS

AERIAL EQUIPMENT

ARTICULATING BOOM LIFTS

Max Height (ft.)	Type
30'	Electric Articulating
34'	Electric Articulating
45'	Electric Articulating
45'	Diesel Articulating
60'	Diesel Articulating
80'	Diesel Articulating
125'	Diesel Articulating
135'	Diesel Articulating




STRAIGHT BOOM LIFTS

Max Height (ft.)	Type
40'	Straight Boom
45'	Straight with Jib
60'	Straight Boom
65'	Straight with Jib
80'	Straight Boom
85'	Straight with Jib
125'	Straight with Jib
135'	Straight with Jib
150'	Straight with Jib



SCISSOR LIFTS

Model
16-25' Vertical Mast Lift
Micro 13
Micro 19
19' Electric
26' Electric - wide and narrow
32' Electric - wide and narrow
40' Electric
45' Electric



ROUGH TERRAIN SCISSOR LIFTS

Model
32' Rough Terrain Diesel/Duel Fuel
43' Rough Terrain Diesel/Duel Fuel
53' Rough Terrain Diesel/Duel Fuel
60' Rough Terrain Diesel Fuel

LIFT ACCESSORIES

Sky Welders	Glazier Kits	Pipe Racks	Tire Socks
-------------	--------------	------------	------------

TELESCOPIC HANDLERS



FIXED TELEHANDLERS

Model	Capacity (lb.)	Max Lift Height (ft.)
TH255	5,500	19'
TL642	6,000	42'
TL943	9,000	43'
TL1055	10,000	55'
TL1255	12,000	55'



ROTATING TELEHANDLERS

Model	Capacity (lb.)	Max Lift Height (ft.)
RTH6.23	13,200	76'4"
RTH6.25	13,200	82'
RTH6.30	13,200	97'9"
RTH6.35	13,200	114'6"



SPECIALTY TELEHANDLERS

Model	Capacity (lb.)	Max Lift Height (ft.)
HTH16.10	35,273	31'2"
TH5,5.24	12,100	78'5"



PLATE COMPACTORS

Model	Weight (lb.)	Centrifugal Force
MVC64	158	2,275
MVC88	207	3,372
MVH308	717	10,116
MVH408	836	12,365
WP1550AW	185	3,375
LF100	236	3,754

GENERATORS

Prime Output (kva)	Fuel
2.5	Gas
3.6	Gas
6.0	Gas
9.7	Gas
25	Diesel
35	Diesel
45	Diesel
60	Diesel
75	Diesel
125	Diesel



PORTABLE AIR COMPRESSORS



CFM	Working Pressure (psi)
185	60-125
250	75-150
375/400	80-150
400/425 High Pressure	150-225
800-1100	80-150
1600-1800	80-150

RAMMERS

Model	Weight (lb.)
BS62	141.1
BS68	154.3
MTX60	141
MTX70	165



SWEEPERS

Model	Weight (lb.)	Sweeping Width (in.)
Laymor SM300	3,100	96"



LIGHT TOWERS / TRAFFIC SAFETY

Type
Towable Diesel LED Light Tower
Towable Full Matrix Message Signs
Crash Attenuator Trucks
Arrow Boards



PUMPS

Model	Max. Flow (gal/min.)	Weight (lb.)
4" DIESEL	550	3,900
6" DIESEL	2,250	5,400
8" DIESEL	3,250	5,400
2" ELECTRIC SUBMERSIBLE	73	31
3" ELECTRIC SUBMERSIBLE	170	67



TOW-BEHIND MIXERS

Type	Weight (lb.)	Bucket Capacity (ft³)
Mortar Mixer	758	9
Concrete Mixer	875	9



GROUND HEATERS

Model	Weight (lb.)	Thaw Depth (in.)	Thaw Area (ft²)
E3000	7,500	12"	6,000



WOOD CHIPPERS

Model	Capacity	Weight (lb.)
BC1500	15"	6,900



STUMP GRINDERS

Model	HP	Cutterwheel Diameter (in.)
VERMEER SC70TX	67	23"



TRENCH ROLLERS

Model	Weight (lb.)	Drum Width (in.)
RTX-SC3	3,200	24-33"



POWER BUGGIES

Model	Weight (lb.)	Hopper Capacity (ft³)
WBH16	1,135	16'
DW60	5,622	1.7'
DW304	9,524	3.1'
DV60	10,028	3'
DV100	11,314	5'
MBTX2500S	1,975	16'



PRESSURE WASHERS

Model	Max Pressure (psi)	Fuel
3500 PSI Hot Water	3,500	Gas



DUMP AND WATER TRUCKS/TRAILERS

Model	Capacity
LW2000WT	2,000 gal truck
HYDRAULIC DUMP	3-4 yd³ truck
HYDRAULIC DUMP	5-6 yd³ truck
MWT500	500 gal trailer



YOU WORK, FOLEY RENTS.

JACK HAMMERS

Model	Weight (lb.)	Impact Frequency (blows/min)
TEX P60S	72	1,500
TEX P90S	95	1,260
TEX Chipping	15	2,640



UTILITY VEHICLES

Type

2 Seater Gas or Diesel Engine

4 Seater Gas or Diesel Engine



SAWS (WALK-BEHIND)

Model	HP	Max Blade Diameter (in.)	Max. Cutting Depth (in.)
Husqvarna FS400	12	20"	7.5"
Core Cut 2500 Series	21	26"	10 3/8"
Core Cut 3500 Series	37	30"	12 3/8"
Core Cut 5049	49	36"	15"
Core Cut 6774	71	42"	17.5"



SAWS (HANDHELD)

Model	Weight (lb.)	Max. Cutting Depth (in.)	Blade Diameter Range (in.)
K770	22.5	4/5"	12/14"
K970	23.4	4/5/6"	12/14/16"



COMPACT UTILITY LOADERS

Model	Tipping Capacity (lb.)
TX1000 Dingo	3071
CTX50 Vermeer	1715
CTX100 Vermeer	2958
CTX160 Vermeer	4571
S450TX Vermeer	1430
S925TX Vermeer	2643



TRACK SKID STEERS

Model	Weight (lb.)	Tipping Capacity (lb.)	Ground Pressure (psi)
249	7,685	4,600	5.6
259	8,987	5,745	6.1
279	10,095	6,345	4.4
289	10,688	8,255	4.7
299	11,464	9,945	5.3
299XE	11,756	10,170	5.4



SKID STEER LOADERS

Model	Weight (lb.)	Tipping Capacity (lb.)
226	5,849	3,100
246	7,478	4,400
262	8,296	5,400
272	9,133	6,900
272XE	9,575	7,400



METSO CRUSHING & SCREENING

Model	Type	Size
RD100	Shaker Screening Box	11WX7L
LT106	Jaw Crusher	22"
LT300	Cone Crusher	22"
LT1110S	Impact Crusher	22"
LT1213S	Impact Crusher	27"
ST2.8	Mobile Screen	19"
CT85	Stacking Conveyor	6"



ASPHALT PAVERS

Model	Hopper Capacity (ft³)	Paving Width (ft.)
P385C	138	8' - 15'8"
AP355	134	4'9" - 11'2"
AP555	215	8' - 15'6"
AP655	250	8' - 15'6"
AP1055	286	10' - 19'6"



ASPHALT ROLLERS

Model	HP	Weight (lb.)	Drum Width (in.)
RD12A	21	2,964	35"
CB1.7	25	3,538	35"
CB1.8	25	3,825	39"
CB2.5	48	5,546	39"
CB2.5 GC	25	5,546	39"
CB2.7	48	5,936	47"
CB2.7 GC	25	5,936	47"
CB4.0	48	7,971	51"
CB7	100	19,015	59"
CB10	120	21,638	67"
CB13	142	27,557	79"
CB15	142	28,958	84"



SOIL ROLLERS / COMPACTORS

Model	HP	Weight (lb.)	Drum Width (in.)
CS5 / CS34	75	10,009	50"
CS7 / CS44*	100	15,961	66"
CS10 GC	123	23,136	84"
CS11 / CS54B	133	23,823	84"
CS12 / CS56B	159	25,353	84"
CP44	100	16,471	66"
CP13 GC / CP56B*	123	27,869	84"

*CP model is padfoot drum, padfoot shell kit available on CS7/CS44 model



WHEEL LOADERS

Model	Weight (lb.)	Bucket Capacity (yd ³)
903	9,200	.8
906	12,628	1.2
908	14,617	1.4
910	18,102	1.7
914	19,103	2
918/920	21,742	2.2
926	27,972	2.5
930	31,124	2.7
938	35,528	3.2
950	42,461	4.1
950GC	40,684	3.5
962	44,469	4.3
966	51,124	5.5
972	54,858	6.25
980	66,877	7
982	78,264	10



WHEELED HYDRAULIC EXCAVATORS

Model	Weight (lb.)	Max Dig Depth (ft.)
M316	39,462.7	18'
M318	42,328	20'
M320	44,313	21'
M322	49,604	22'



ARTICULATED DUMP TRUCKS

Model	HP	Weight (t)	Body Capacities (heaped)(yd ³)
725	309	26.5	19.6
730	325	31	23
735	435	35.3	26.2
740	489	44	31.4
745	511	45.2	33.4



MOTOR GRADERS

Model	Weight (lb.)	Blade Length (ft.)
140	32,000	12'



BACKHOE LOADERS

Model	Weight (lb.)	Max Dig Depth (ft.)
420	17,300	17'11"
440	22,080	19'3"
450	24,575	21'1"



MINI EXCAVATORS

Model	Weight (lb.)	Max Dig Depth (ft.)
300.9	2,061	5'8"
301.7	4,222	8'4"
302	4,987	8'5"
303	7,817	9'8"
304	9,867	11'6"
305	12,688	12'
306	15,766	13'6"
308	20,077	15'3"
309	21,091	15'3"
310	22,451	17'1"





DOZERS

Model	HP	Weight (lb.)	Blade Width (yd ³)
D1 XL / D3K2 XL	80	17,185	2.0
D1 LGP / D3K2 LGP	80	18,525	2.2
D2 XL / D4K2 XL	92	17,961	2.6
D2 LGP / D4K2 LGP	92	18,761	2.4
D3 XL / D5K2 XL	104	21,266	3.1
D3 LGP / D5K2 LGP	100	20,741	2.9
D4 XL / D6K2 XL	125	28,409	4
D4 LGP / D6K2 LGP	125	29,690	4.4
D5 XL / D6N XL	145	36,610	4.2
D5 LGP / D6N LGP	150	39,222	4.1
D6 XL / D6T XL	228	44,795	6
D6 LGP / D6T LGP	205	49,489	6.5
D7	265	65,644	10
D8	310	84,850	11.0



TRACK LOADERS

Model	Weight (lb.)	Bucket Capacity (yd ³)
953	38,055	2.4
963	50,181	2.6



HYDRAULIC EXCAVATORS

Model	Weight (lb.)	Max Dig Depth (ft.)
313	30,400	19'8"
315	34,000	19'6"
317	40,200	21'
320	49,800	22'
323	55,100	22'1"
325	62,800	22'
326 LR	69,000	60'
326	56,400	22'4"
330	69,200	23'9"
335	77,000	22'9"
336	81,100	26'11"
340	83,100	26'9"
350	106,000	23'10"
352	107,800	26'11"
374	158,200	28'1"

WORK TOOL ATTACHMENTS

AUGERS



BLADES



BROOMS



BRUSHCUTTERS



EXCAVATOR BUCKETS



LOADER BUCKETS



SKID STEER BUCKETS



TELEHANDLER BUCKETS



FORESTRY MULCHERS



FORKS



HAMMERS



LANDSCAPE RAKES



MULTI-PROCESSORS



SCHEARS



SNOW PUSH



THUMBS



TRENCHERS



TRUSS BOOMS



MATERIAL HANDLING ARMS



PICK-UP BROOMS



BOX BLADES



COLD PLANERS




INDUSTRIAL GRAPPLE BUCKETS



GET IT ALL AT FOLEY RENTS

Our rental fleet includes much more than the full line of Cat® equipment and Work Tool Attachments you expect. From lifts and light towers, to pumps, trailers and more, Foley Rents has everything you need on a jobsite.

Whether you are looking to rent short-term or long-term, finance or rent-to-own, we have the agreement that works for you and your business. Emergency rentals and 24/7 field service support means we're there when you need us, with factory-trained technicians and Rental Store staff.



CAT RENTAL STORE **CUSTOMER PORTAL**

**EASILY ACCESS & MANAGE YOUR RENTALS
ANYTIME, ANYWHERE**



Download Now

FOLEY RENTS



**THE
Rental
STORE**

**MONDAY - FRIDAY
7:00AM-5:30PM**

**FOLEYINC.COM/RENTS
FOLEYRENTS@FOLEYINC.COM**

PISCATAWAY, NJ

855 Centennial Avenue
Piscataway, NJ 08854

(888) 417-6464

BENSALEM, PA

2973 Galloway Road
Bensalem, PA 19020

(215) 244-3850

LEHIGH, PA

10171 Old US 22
Breinigsville, PA 18031

(610) 261-4887

HAMMONTON, NJ


650 S. Egg Harbor Road
Hammonton, NJ 08037

(609) 272-8770

BEAR, DE

720 Pulaski Highway
Bear, DE 19701

(302) 328-7890



WE ARE MORE THAN CAT®

